

1. FORIS WASH 760 - DMX CHANNEL SHEET - 21 CH

21 CH	Function	DMX Value	Description
1	Pan	0-255	Pan movement range 540°
2	Tilt	0-255	Tilt movement range 270°
3	Pan/Tilt speed	0-255	Pan/Tilt speed from fast to slow
4	Red	0-255	Linear dimmer 0-100% Red
5	Green	0-255	Linear dimmer 0-100% Green
6	Blue	0-255	Linear dimmer 0-100% Blue
7	Lime	0-255	Linear dimmer 0-100% Lime
8	Dimmer	0-255	Linear dimmer 0-100%
9	Strobe	0-8	Strobe closed
		9-88	Strobe effect 1 from slow to fast
		89-168	Strobe effect 2 from slow to fast
		169-240	Random strobe from slow to fast
		241-255	Strobe open
10	Macro (color presets)	0-15	No function
		16-20	Color 1 Red
		21-25	Color 2 Magenta
		26-30	Color 3 Red 2
		31-40	No function
		41-45	Color 4 Pink
		46-50	Color 5 Red 3
		51-55	No function
		56-60	Color 6 Salmon
		61-65	Color 7 Red 4
		66-70	Color 8 Light pink
		71-75	No function
		76-80	Color 9 Orange
		81-85	Color 10 Yellow
		86-105	No function
		106-110	Color 11 Green
		111-115	No function
		116-120	Color 12 Cyan
		121-135	No function
		136-140	Color 13 Light Cyan
141-145	Color 14 Light blue		
146-150	Color 15 Sea green		
151-155	No function		
156-160	Color 16 Lavender		
161-165	Color 17 Medium blue		
166-180	No function		
181-185	Color 18 Purple		
186-195	No function		
196-200	Color 19 Pink 2		

21 CH	Function	DMX Value	Description
10	Macro (color presets)	201-205	Color 20 Pink 3
		206-215	No function
		216-220	Color 21 Flame red
		221-225	Color 22 Pink 4
		226-235	No function
		236-240	Color 23 Pink 6
		241-245	Color 24 Flame red 2
		246-255	No function
11	CTO	0-11	No function
		12-24	2700K
		25-37	3000K
		38-50	3300K
		51-63	3600K
		64-76	3900K
		77-89	4200K
		90-102	4500K
		103-115	4800K
		116-128	5100K
		129-141	5400K
		142-154	5700K
		155-167	6000K
		168-180	6300K
		181-193	6600K
		194-206	6900K
207-219	7200K		
220-232	7500K		
233-245	7800K		
246-255	8000K		
12	Zoom	0-255	From large to small
13	Ring red	0-255	Ring red 0-100%
14	Ring green	0-255	Ring green 0-100%
15	Ring blue	0-255	Ring blue 0-100%
16	Ring fixed color preset	0-15	No function
		16-20	Color 1 Red 1
		21-25	Color 2 Magenta
		26-30	Color 3 Red 2
		31-40	No function
		41-45	Color 4 Pink 1
		46-50	Color 5 Rose pink
		51-55	No function
		56-60	Color 6 Light pink
		61-65	Color 7 Red 3
		66-70	Color 8 Magenta 2
		71-75	No function
76-80	Color 9 Warm white		

21 CH	Function	DMX Value	Description
16	Ring fixed color preset	81-85	Color 10 Yellow
		86-105	No function
		106-110	Color 11 Green
		111-115	No function
		116-120	Color 12 Cyan
		121-135	No function
		136-140	Color 13 Sea green
		141-145	Color 14 Light blue
		146-150	Color 15 Medium blue
		151-155	No function
		156-160	Color 16 Cold white
		161-165	Color 17 Light cyan
		166-180	No function
		181-185	Color 18 Purple
		186-195	No function
		196-200	Color 19 Pale rose
		201-205	Color 20 Dark magenta
		206-215	No function
		216-220	Color 21 Flame red
		221-225	Color 22 Light pink 2
		226-235	No function
		236-240	Color 23 Rose 2
		241-245	Color 24 Red 4
		246-255	No function
17	Ring color effect	0-10	Closed
		11-20	Red
		21-30	Green
		31-40	Blue
		41-50	Orange
		51-60	Cyan
		61-70	Yellow
		71-80	Purple
		81-90	White
		91-100	Macro 1
		101-110	Macro 2
		111-120	Macro 3
		121-130	Macro 4
		131-140	Macro 5
		141-150	Macro 6
		151-160	Macro 7
		161-170	Macro 8
		171-180	Macro 9
		181-190	Macro 10
		191-200	Macro 11
201-210	Macro 12		

21 CH	Function	DMX Value	Description
17	Ring color effect	211-220	Macro 13
		221-255	Macro 14
18	Ring chases	0-255	Speed from slow to fast
19	Ring dimmer	0-255	Ring dimmer 0-100%
20	Ring strobe	0-255	Strobe 0-100%
21	Control / PWM / Reset	0-3	Default
		4-7	1kHz
		8-17	2kHz
		18-27	3kHz
		28-37	5kHz
		38-47	7kHz
		48-57	9kHz
		58-67	11kHz
		68-77	13kHz
		78-87	15kHz
		88-97	17kHz
		98-107	19kHz
		108-117	21kHz
		118-127	25kHz
		128-129	Blank
130-255	Reset		

2. FORIS WASH 760 - DMX CHANNEL SHEET - 28 CH

28 CH	Function	DMX Value	Description
1	Pan	0-255	Pan movement range 540°
2	Pan fine	0-255	Pan fine 16 bit
3	Tilt	0-255	Tilt movement range 270°
4	Tilt fine	0-255	Tilt fine 16 bit
5	Pan/Tilt speed	0-255	Pan/Tilt speed from fast to slow
6	Red	0-255	Red Linear dimmer 0-100%
7	Red fine	0-255	Red fine 16 bit
8	Green	0-255	Green Linear dimmer 0-100%
9	Green fine	0-255	Green fine 16 bit
10	Blue	0-255	Blue Linear dimmer 0-100%
11	Blue fine	0-255	Blue fine 16 bit
12	Lime	0-255	Lime Linear dimmer 0-100%
13	Lime fine	0-255	Lime fine 16 bit
14	Dimmer	0-255	0-100% linear dimmer
15	Dimmer fine	0-255	Dimmer fine 16 bit
16	Strobe	0-8	Strobe closed
		9-88	Strobe effect 1 from slow to fast
		89-168	Strobe effect 2 from slow to fast
		169-240	Random strobe from slow to fast
		241-255	Strobe open
17	Macro (color presets)	0-15	No function
		16-20	Color 1 Red
		21-25	Color 2 Magenta
		26-30	Color 3 Red 2
		31-40	No function
		41-45	Color 4 Pink
		46-50	Color 5 Red 3
		51-55	No function
		56-60	Color 6 Salmon
		61-65	Color 7 Red 4
		66-70	Color 8 Light pink
		71-75	No function
		76-80	Color 9 Orange
		81-85	Color 10 Yellow
		86-105	No function
		106-110	Color 11 Green
		111-115	No function
116-120	Color 12 Cyan		
121-135	No function		
136-140	Color 13 Light Cyan		
141-145	Color 14 Light blue		
146-150	Color 15 Sea green		
151-155	No function		
156-160	Color 16 Lavender		

28 CH	Function	DMX Value	Description
17	Macro (color presets)	161-165	Color 17 Medium blue
		166-180	No function
		181-185	Color 18 Purple
		186-195	No function
		196-200	Color 19 Pink 2
		201-205	Color 20 Pink 3
		206-215	No function
		216-220	Color 21 Flame red
		221-225	Color 22 Pink 4
		226-235	No function
		236-240	Color 23 Pink 6
		241-245	Color 24 Flame red 2
		246-255	No function
		18	CTO
12-24	2700K		
25-37	3000K		
38-50	3300K		
51-63	3600K		
64-76	3900K		
77-89	4200K		
90-102	4500K		
103-115	4800K		
116-128	5100K		
129-141	5400K		
142-154	5700K		
155-167	6000K		
168-180	6300K		
181-193	6600K		
194-206	6900K		
207-219	7200K		
220-232	7500K		
233-245	7800K		
246-255	8000K		
19	Zoom	0-255	From large to small
20	Ring red	0-255	Ring red 0-100%
21	Ring green	0-255	Ring green 0-100%
22	Ring blue	0-255	Ring blue 0-100%
23	Ring fixed color preset	0-15	No function
		16-20	Color 1 Red 1
		21-25	Color 2 Magenta

28 CH	Function	DMX Value	Description
23	Ring fixed color preset	26-30	Color 3 Red 2
		31-40	No function
		41-45	Color 4 Pink 1
		46-50	Color 5 Rose pink
		51-55	No function
		56-60	Color 6 Light pink
		61-65	Color 7 Red 3
		66-70	Color 8 Magenta 2
		71-75	No function
		76-80	Color 9 Warm white
		81-85	Color 10 Yellow
		86-105	No function
		106-110	Color 11 Green
		111-115	No function
		116-120	Color 12 Cyan
		121-135	No function
		136-140	Color 13 Sea green
		141-145	Color 14 Light blue
		146-150	Color 15 Medium blue
		151-155	No function
		156-160	Color 16 Cold white
		161-165	Color 17 Light cyan
		166-180	No function
		181-185	Color 18 Purple
		186-195	No function
		196-200	Color 19 Pale rose
		201-205	Color 20 Dark magenta
		206-215	No function
		216-220	Color 21 Flame red
		221-225	Color 22 Light pink 2
226-235	No function		
236-240	Color 23 Rose 2		
241-245	Color 24 Red 4		
246-255	No function		
24	Ring color effect	0-10	Closed
		11-20	Red
		21-30	Green
		31-40	Blue
		41-50	Orange
		51-60	Cyan

28 CH	Function	DMX Value	Description
24	Ring color effect	61-70	Yellow
		71-80	Purple
		81-90	White
		91-100	Macro 1
		101-110	Macro 2
		111-120	Macro 3
		121-130	Macro 4
		131-140	Macro 5
		141-150	Macro 6
		151-160	Macro 7
		161-170	Macro 8
		171-180	Macro 9
		181-190	Macro 10
		191-200	Macro 11
201-210	Macro 12		
211-220	Macro 13		
221-255	Macro 14		
25	Ring chases	0-255	Speed from slow to fast
26	Ring dimmer	0-255	Ring dimmer 0-100%
27	Ring strobe	0-255	Strobe 0-100%
28	Control / PWM / Reset	0-3	Default
		4-7	1kHz
		8-17	2kHz
		18-27	3kHz
		28-37	5kHz
		38-47	7kHz
		48-57	9kHz
		58-67	11kHz
		68-77	13kHz
		78-87	15kHz
		88-97	17kHz
		98-107	19kHz
		108-117	21kHz
		118-127	25kHz
128-129	Blank		
130-255	Reset		

3. FORIS WASH 760 - DMX CHANNEL SHEET - 65 CH

65 CH	Function	DMX Value	Description
1	Pan	0-255	Pan movement range 540°
2	Pan fine	0-255	Pan fine 16 bit
3	Tilt	0-255	Tilt movement range 270°
4	Tilt fine	0-255	Tilt fine 16 bit
5	Pan/Tilt speed	0-255	Pan/Tilt speed from fast to slow
6	Dimmer	0-255	0-100% linear dimmer
7	Dimmer fine	0-255	Dimmer fine 16 bit
8	Strobe	0-8	Strobe closed
		9-88	Strobe effect 1 from slow to fast
		89-168	Strobe effect 2 from slow to fast
		169-240	Random strobe from slow to fast
		241-255	Strobe open
9	Red	0-255	Red Linear dimmer 0-100%
10	Red fine	0-255	Red fine 16 bit
11	Green	0-255	Green Linear dimmer 0-100%
12	Green fine	0-255	Green fine 16 bit
13	Blue	0-255	Blue Linear dimmer 0-100%
14	Blue fine	0-255	Blue fine 16 bit
15	Lime	0-255	Lime Linear dimmer 0-100%
16	Lime fine	0-255	Lime fine 16 bit
17	Zoom	0-255	From large to small
18	Macro (color presets)	0-10	Closed
		11-20	Red
		21-30	Green
		31-40	Blue
		41-50	Orange
		51-60	Cyan
		61-70	Yellow
		71-80	Purple
		81-90	White
		91-100	Macro 1
		101-110	Macro 2
		111-120	Macro 3
		121-140	Macro 4
		141-160	Macro 5
		161-180	Macro 6
181-200	Macro 7		
201-220	Macro 8		
221-255	Macro 9		
19	Macro speed	0-255	Speed from slow to fast

65 CH	Function	DMX Value	Description
20	Macro delay	0-255	Delay from fast to slow
21	Ring red	0-255	Ring red 0-100%
22	Ring green	0-255	Ring green 0-100%
23	Ring blue	0-255	Ring blue 0-100%
24	Ring color effect	0-10	Closed
		11-20	Red
		21-30	Green
		31-40	Blue
		41-50	Orange
		51-60	Cyan
		61-70	Yellow
		71-80	Purple
		81-90	White
		91-100	Macro 1
		101-110	Macro 2
		111-120	Macro 3
		121-130	Macro 4
		131-140	Macro 5
		141-150	Macro 6
151-160	Macro 7		
161-170	Macro 8		
171-180	Macro 9		
181-190	Macro 10		
191-200	Macro 11		
201-210	Macro 12		
211-220	Macro 13		
221-255	Macro 14		
25	Ring chases	0-255	Speed from slow to fast
26	Ring dimmer	0-255	Ring dimmer 0-100%
27	Ring strobe	0-255	Strobe 0-100%
28	PWM/Reset	0-3	Default
		4-7	1kHz
		8-17	2kHz
		18-27	3kHz
		28-37	5kHz
		38-47	7kHz
		48-57	9kHz
		58-67	11kHz
		68-77	13kHz
		78-87	15kHz

65 CH	Function	DMX Value	Description
28	PWM/Reset	88-97	17kHz
		98-107	19kHz
		108-117	21kHz
		118-127	25kHz
		128-129	Blank
		130-255	Reset
29	CTO	0-11	No function
		12-24	2700K
		25-37	3000K
		38-50	3300K
		51-63	3600K
		64-76	3900K
		77-89	4200K
		90-102	4500K
		103-115	4800K
		116-128	5100K
		129-141	5400K
		142-154	5700K
		155-167	6000K
		168-180	6300K
		181-193	6600K
		194-206	6900K
207-219	7200K		
220-232	7500K		
233-245	7800K		
246-255	8000K		
30	Red 1	0-255	Red 1 0-100%
31	Green 1	0-255	Green 1 0-100%
32	Blue 1	0-255	Blue 1 0-100%
33	Red 2	0-255	Red 2 0-100%
34	Green 2	0-255	Green 2 0-100%
35	Blue 2	0-255	Blue 2 0-100%
	-----	-----	
60	Red 11	0-255	Red 11 0-100%
61	Green 11	0-255	Green 11 0-100%
62	Blue 11	0-255	Blue 11 0-100%
63	Red 12	0-255	Red 12 0-100%
64	Green 12	0-255	Green 12 0-100%
65	Blue 12	0-255	Blue 12 0-100%

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE

BSL B.V.
SPAARPOT 19 | 5667 KV GELDROP | THE NETHERLANDS | +31 (0)40 750 24 95

WWW.BSL-LIGHTING.COM | WWW.LIGHT-INC.EU

